Refine Search

Search Results -

Terms	Documents
((anti adj site) or antisite) with defect\$1	72

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database

Database:

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L3		Pofine Search
,	9	Refine Search
		•
		•

Recall Text Clear

Interrupt

Search History

DATE: Tuesday, March 29, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB	,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=	YES; $OP = OR$	
<u>L3</u>	((anti adj site) or antisite) with defect\$1	72	<u>L3</u>
<u>L2</u>	antisite adj defect\$1	22	<u>L2</u>
<u>L1</u>	LT-GaAs and Be	5	<u>L1</u>

END OF SEARCH HISTORY

🖾 e-mail



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

□□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

	Results for "((antisite and be) <in>metadata)"</in>
	Your search matched 13 of 1137806 documents.
	A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.
	View Session History
.,	Tion Occion I natory

» New Search		Modify	Search
» Key		((antisi	te 'and' be) <in>metadata)</in>
IEEE JNL	IEEE Journal or Magazine	Пс	heck to search only within this results set
IEE JNL	IEE Journal or Magazine	Display	y Format: Ge Citation C Citation & Abstract
IEEE CNF	IEEE Conference Proceeding	Select	Article Information
IEE CNF	IEE Conference Proceeding		
IEEE STD	IEEE Standard		Conductivity of MgO-doped LINbO ₃ crystals Frangulian, T.S.; Pichugin, V.F.; Yakovlev, V.Yu.; Kim, I.W.; Science and Technology, 2000. KORUS 2000. Proceedings. The 4th Korea-Russia International Symposium Volume 1, 27 June-1 July 2000 Page(s): AbstractPlus Full Text: PDF(436 KB) IEEE CNF
			2. Role of zinc in CdZnTe radiation detectors Muren Chu; Terterian, S.; Ting, D.; Nuclear Science, IEEE Transactions on Volume 51, Issue 5, Oct. 2004 Page(s):2405 - 2411
			AbstractPlus References Full Text: PDF(280 KB) IEEE JNL
			 Growth and magnetic properties of single crystal Co₂MnX (X=Si,Ge) He usler alloys Cheng, S.F.; Nadgomy, B.; Bussmann, K.; Carpenter, E.E.; Das, B.N.; Trotter, G.; Raphael, M.P.; Harris, V.O. Magnetics, IEEE Transactions on Volume 37, Issue 4, July 2001 Page(s):2176 - 2178
			AbstractPlus References Full Text: PDF(51 KB) IEEE JNL
		· [_]	4. High pressure oxygenation in melt textured NdBa ₂ Cu ₃ O ₇ : identification of pinning mechanisms Puiog, T.; Obradors, X.; Martinez, B.; Sandiumenge, F.; Gomis, V.; Alonso, J.A.; Applied Superconductivity, IEEE Transactions on Volume 9, Issue 2, June 1999 Page(s):2054 - 2057
			AbstractPlus References Full Text: PDF(312 KB) IEEE JNL
		· [_]	5. Theoretical studies of point defects and diffusion in Nb3Sn Welch, D.; Dienes, G.; Lazareth, O.; Hatcher, R.; Magnetics, IEEE Transactions on Volume 19, Issue 3, May 1983 Page(s):889 - 892
		,	AbstractPlus Full Text: PDF(480 KB) IEEE JNL
		ī	 Optimization of Be-doped low-temperature-grown GaAs layers for ultrafast optoelectronic application Roux, JF.; Siegert, J.; Marcinkevicius, S.; Kaminska, M.; Wolos, A.; Bertulis, K.; Coutaz, JL.; Krotkus, A.; Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on 10-15 Sept 2000 Page(s):1 pp.
			AbstractPlus Full Text: PDF(104 KB) IEEE CNF

7. Separation of electron and hole dynamics in low-temperature grown GaAs

		Haiml, M.; Siegner, U.; Morier-Genoud, F.; Gebauer, J.; Specht, P.; Weber, E.R.; Keller, U.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):97 - 100
,		AbstractPlus Full Text: PDF(208 KB) IEEE CNF
E	8.	Defect engineering in MBE grown GaAs based materials Specht, P.; Cich, M.J.; Zhao, R.; Jager, N.D.; Gebauer, J.; Borner, F.; Krause-Rehberg, R.; Luysberg, M.; We Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):73 - 76
		AbstractPlus Full Text: PDF(228 KB) IEEE CNF
	9.	Suppression of gate leakage current in n-AlGaAs/GaAs power HEMTs Nagayama, A.; Yamauchi, S.; Hariu, T.; Electron Devices, IEEE Transactions on Volume 47, Issue 3, March 2000 Page(s):517 - 522
		AbstractPlus References Full Text: PDF(132 KB) IEEE JNL
	10.	Intergrain magnetoresistance in electron-doped Sr/sub 2/FeMoO/sub 6/ Venkatesan, M.; Fitzgerald, C.B.; Varadaraju, U.V.; Coey, J.M.D.; Magnetics, IEEE Transactions on Volume 38, Issue 5, Sept. 2002 Page(s):2901 - 2903
		AbstractPlus References Full Text: PDF(197 KB) IEEE JNL
	11.	Spin glass behavior of FeSbO4studied by Mössbauer spectroscopy and magnetometry Labarta, A.; Sarson, M.; Obradors, X.; Berry, F.; Rodriguez, R.; Tejada, J.; Magnetics, IEEE Transactions on Volume 23, Issue 5, Sep 1987 Page(s):2311 - 2313
		AbstractPlus Full Text: PDF(256 KB) IEEE JNL
П	12.	Inhomogeneous and homogeneous broadening in Pr ³⁺ - and Er ³⁺ -doped lithium niobate Macfarlane, R.M.; Sun, Y.; Konz, F.; Cone, R.L.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):492 - 493
		AbstractPlus Full Text: PDF(184 KB) IEEE CNF
	13.	Electrical isolation of p-type GaAs layers by proton bombardment Boudinov, H.; Coelho, A.V.P.; de Souza, J.P.; Semiconducting and insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):163 - 166
		AbstractPlus Full Text: PDF(228 KB) IEEE CNF

Indexed by MInspec*

Copyright 2005 IE



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((It-gaas	and be) <in>metadata)"</in>
------------------------	--------	-----------------------

Your search matched 38 of 1137806 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New Search	h	Modify Search
.,		((tt-gaas 'and' be) <in>metadata)</in>
» Key		Check to search only within this results set
IEEE JNL	IEEE Journal or Magazine	Display Format: © Citation C Citation & Abstract
IEE JNL	IEE Journal or Magazine	
IEEE CNF	IEEE Conference Proceeding	Select Article Information
IEE CNF	IEE Conference Proceeding	1. Thermal stability of MISFET with low-temp molecular-beam epitaxy-grown GaAs and Al _{0.3} Ga _{0.7} As g
IEEE STD	IEEE Standard	Rao, R.V.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.; Reliability, IEEE Transactions on Volume 49, Issue 2, June 2000 Page(s):147 - 152
	,	AbstractPlus References Full Text: PDF(116 KB) IEEE JNL
		 Improved breakdown voltage in GaAs MESFETs utilizing surface layers of GaAs grown at a low tem Yin, LW.; Hwang, Y.; Lee, J.H.; Kolbas, R.M.; Trew, R.J.; Mishra, U.K.; Electron Device Letters, IEEE Volume 11, Issue 12, Dec. 1990 Page(s):561 - 563
		AbstractPlus Full Text: PDF(196 KB) IEEE JNL
		3. Photonic A/D conversion using low-temperature-grown GaAs MSM switches integrated with SI-CMC Urata, R.; Nathawad, L.Y.; Takahashi, R.; Kai Ma; Miller, D.A.B.; Wooley, B.A.; Harris, J.S., Jr.; Lightwave Technology, Journal of Volume 21, Issue 12, Dec. 2003 Page(s):3104 - 3115
		AbstractPlus References Full Text: PDF(597 KB) IEEE JNL
		4. A micromachined photoconductive near-field probe for picosecond pulse propagation measurement ransmission lines Jongjoo Lee; Heeseok Lee; Sungkyu Yu; Joungho Kim; Selected Topics in Quantum Electronics, IEEE Journal of Volume 7, Issue 4, July-Sept. 2001 Page(s):674 - 682
		AbstractPlus References Full Text: PDF(359 KB) IEEE JNL
	·	5. Characterization of LT GaAs carrier lifetime in multilayer GaAs epitaxial wafers by the transient reflement McMorrow, D.; Melinger, J.S.; Knudson, A.R.; Buchner, S.; Ikossi-Anastasiou, K.; Moss, S.C.; Engelhardt, A.B.; Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2290 - 2297
		AbstractPlus References Full Text: PDF(1020 KB) IEEE JNL
		 Characterization of defects in LT-GaAs using a novel method based on thin LT-layers incorporated Kiesel, P.; Tautz, S.; Pfeiffer, KF.; Kramer, S.; Steen, C.; Malzer, S.; Dohler, G.H.; Semiconducting and insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):65 - 72
		AbstractPlus Full Text: PDF(356 KB) IEEE CNF

 7.	Charge-collection efficiency of GaAs field effect transistors fabricated with a low-temperature grown I Dependence on charge deposition profile McMorrow, D.; Knudson, A.R.; Melinger, J.S.; Buchner, S.; Nuclear Science, IEEE Transactions on Volume 47, Issue 3, June 2000 Page(s):498 - 507
	AbstractPlus Full Text: PDF(776 KB) IEEE JNL
8.	High-power narrow-band terahertz generation using large-aperture photoconductors Sang-Gyu Park; Weiner, A.M.; Melloch, M.R.; Sider, C.W.; Sider, J.L.; Taylor, A.J.; Quantum Electronics, IEEE Journal of Volume 35, Issue 8, Aug. 1999 Page(s):1257 - 1268
د	AbstractPlus References Full Text: PDF(232 KB) IEEE JNL
9.	Defect engineering in MBE grown GaAs based materials Specht, P.; Cich, M.J.; Zhao, R.; Jager, N.D.; Gebauer, J.; Borner, F.; Krause-Rehberg, R.; Luysberg, M.; We Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):73 - 76
	AbstractPlus Full Text: PDF(228 KB) IEEE CNF
10.	High-speed photoconductive switch based on low-temperature GaAs transferred on SiO/sub 2/-Si sub Mikulics, M.; Xuemei Zheng; Adam, R.; Sobolewski, R.; Kordos, P.; Photonics Technology Letters, IEEE Volume 15, Issue 4, April 2003 Page(s):528 - 530
	AbstractPlus References Full Text: PDF(223 KB) IEEE JNL
11.	Pulse-coupling measurement of coupled microstrip lines using a micromachined picosecond optical I Lee, J.; Lee, H.; Baek, S.; You Chul Jeong; Kim, J.; Microwave Theory and Techniques, IEEE Transactions on Volume 49, Issue 10, Oct. 2001 Page(s):1740 - 1746
	AbstractPlus References Full Text: PDF(168 KB) IEEE JNL
12.	Ultrafast all-optical switching with an asymmetric Fabry-Perot device using low-temperature-grown G device issues Loka, H.S.; Smith, P.W.E.; Quantum Electronics, IEEE Journal of Volume 36, Issue 1, Jan. 2000 Page(s):100 - 111
	AbstractPlus References Full Text: PDF(412 KB) IEEE JNL
13.	High-temperature performance of GaAs-based HFET structure containing LT-AlGaAs and LT-GaAs Schmid, P.; Lipka, K.M.; Ibbetson, J.; Nguyen, N.; Mishra, U.; Pond, L.; Weitzel, C.; Kohn, E.; Electron Device Letters, IEEE Volume 19, Issue 7, July 1998 Page(s):225 - 227
	AbstractPlus References Full Text: PDF(80 KB) IEEE JNL
14.	Material and ultrafast optoelectronic properties of furnace-annealed arsenic-ion-implanted GaAs Gong-Ru Lin; Wen-Chung Chen; Chang, CS.; Shyh-Chin Chao; Kaung-Hsiung Wu; Hsu, T.M.; Lee, W.C.; C Quantum Electronics, IEEE Journal of Volume 34, Issue 9, Sept. 1998 Page(s):1740 - 1748
	AbstractPlus References Full Text: PDF(216 KB) IEEE JNL
15.	SEU design considerations for MESFETs on LT GaAs Weatherford, T.R.; Radice, R.; Eskins, D.; Devers, J.; Fouts, D.J.; Marshall, P.W.; Marshall, C.J.; Dietrich, H.; Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2282 - 2289
	AbstractPlus References Full Text: PDF(1352 KB) IFFF JNI

	16.	Low frequency noise analysis of LT-GaAs and LT-Al _{0.3} Ga _{0.7} As MISFET active layers Rao, R.V.V.V.; Chong, T.C.; Lau, W.S.; Tan, L.S.; Geng, C.; Lim, N.; Electronics Letters Volume 34, Issue 21, 15 Oct. 1998 Page(s):2066 - 2067
		AbstractPlus Full Text: PDF(260 KB) IEE JNL
.	17.	A physical analytical model for LT-GaAs and LT-Al _{0.3} Ga _{0.7} As MISFET devices Rao, R.V.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.; Liou, J.J.; Electron Devices Meeting, 1999. Proceedings., 1999 IEEE Hong Kong 26 June 1999 Page(s):134 - 136
		AbstractPlus Full Text: PDF(120 KB) IEEE CNF
_	18.	Effect of LT-layer thickness on the performance of LT-GaAs and LT-AI _{0.3} Ga _{0.7} As MISFETs Rao, R.V.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.; Microwave Conference, 1999 Asia Pacific Volume 1, 30 Nov3 Dec. 1999 Page(s):60 - 63 vol.1
		AbstractPlus Full Text: PDF(152 KB) IEEE CNF
	19.	Study of carrier dynamics in LT GaAs by means of time-resolved emission terahertz spectroscopy Nemec, H.; Kuzel, P.; Khazan, M.; Sch, S.; Wilke, I.; Quantum Electronics Conference, 2000. Conference Digest. 2000 International 10-15 Sept. 2000 Page(s):1 pp.
		AbstractPlus Full Text: PDF(84 KB) IEEE CNF
	20.	Mode locked Nd:glass fiber laser using intensity dependent defocusing by low-temperature-grown Ga Leitner, M.; Glas, P.; Wrage, M.; Sandrock, T.; Legall, H.; Heuer, A.; Apostolopoulos, G.; Herfort, J.; Daweritz Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on 10-15 Sept 2000 Page(s):1 pp.
		AbstractPlus Full Text: PDF(84 KB) IEEE CNF
	21.	Thin terahertz detectors and emitters based on low-temperature grown GaAs on sapphire Mitrofanov, O.; Brener, I.; Wanke, M.C.; Ruel, R.R.; Wynn, J.D.; Bruce, A.J.; Federici, J.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):528 - 529
		AbstractPlus Full Text: PDF(172 KB) IEEE CNF
	22.	Photoconductive detection of THz radiation using two-step photoabsorption in LT-GaAs Tani, M.; Lee, KS.; Zhang, XC.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on
		7-12 May 2000 Page(s):529 - 530 <u>AbstractPlus</u> Full Text: <u>PDF</u> (168 KB) IEEE CNF
<u>k</u>	23.	Be-doped low-temperature grown GaAs for ultrafast optoelectronic devices and applications Coutaz, JL.; Roux, JF.; Gaarder, A.; Marcinkevicius, S.; Jasinski, J.; Korona, K.; Kaminska, M.; Bertulis, K. Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):89 - 96
		AbstractPlus Full Text: PDF(396 KB) IEEE CNF
	24.	Influence of Be doping on the structural properties of low-temperature grown GaAs Luysberg, M.; Specht, P.; Weber, E.R.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):81 - 84
		AbstractPlus Full Text: PDF(464 KB) IEEE CNF
П	25.	Control of non-stolchiometry of low-temperature-grown III-V semiconductors using in situ reflectance spectroscopy

Herfort, J.; Apostolopoulos, G.; Ulrici, W.; Daweritz, L.; Ploog, K.H.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):77 - 80

AbstractPlus | Full Text: PDF(196 KB) | IEEE CNF

Indexed by Inspec

Help Contact Us Privac

© Copyright 2005 IE



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

Search Kes	uits	BROWSE SEARCH TEEE XPLORE GUIDE	
Your search	"((It-gaas and be) <ina n matched 38 of 113780 n of 38 results are displa</ina 		⊠ e-mail
View Session	an History		
New Search	•	Modify Coareh	
		Modify Search (((It-gaas 'and' be) <in>metadata)</in>	
» Key		(((lt-gaas 'and' be) <in>metadata)</in>	
IEEE JNL	IEEE Journal or Magazine	Check to search only within this results set	
IEE JNL	IEE Journal or Magazine	Display Format: G Citation C Citation & Abstract	
IEEE CNF	IEEE Conference Proceeding	Select Article Information	
IEE CNF	IEE Conference Proceeding	Select Afficie monifación	
IEEE STD	IEEE Standard	26. High-voltage picosecond photoconductor switch based on low-temperature-grown GaAs Frankel, M.Y.; Whitaker, J.F.; Mourou, G.A.; Smith, F.W.; Calawa, A.R.; Electron Devices, IEEE Transactions on Volume 37, Issue 12, Dec. 1990 Page(s):2493 - 2498	
		AbstractPlus Full Text: <u>PDF(</u> 516 KB) IEEE JNL	
		27. Electrical and radiation characteristics of semilarge photoconductive terahertz emitters Stone, M.R.; Naftaly, M.; Miles, R.E.; Fletcher, J.R.; Steenson, D.P.; Microwave Theory and Techniques, IEEE Transactions on Volume 52, Issue 10, Oct. 2004 Page(s):2420 - 2429	·
		AbstractPlus References Full Text: PDF(544 KB) IEEE JNL	
		28. Low-temperature growth of GaAs on SI used for ultrafast photoconductive switches Kai Ma; Urata, R.; Miller, D.A.B.; Harria, J.S., Jr.; Quantum Electronics, IEEE Journal of Volume 40, Issue 6, June 2004 Page(s):800 - 804	
		AbstractPlus References Full Text: PDF(200 KB) IEEE JNL	
		29. Ultrafast all-optical switching in an asymmetric Fabry-Perot device using low-temperature Loka, H.S.; Smith, P.W.E.; Photonics Technology Letters, IEEE Volume 10, Issue 12, Dec. 1998 Page(s):1733 - 1735	-grown GaA
		AbstractPlus References Full Text: PDF(76 KB) IEEE JNL	
		30. Optical characterization of low-temperature-grown GaAs for ultrafast all-optical switching Loka, H.S.; Benjamin, S.D.; Smith, P.W.E.; Quantum Electronics, IEEE Journal of Volume 34, Issue 8, Aug. 1998 Page(s):1426 - 1437	devices
		AbstractPlus References Full Text: PDF(236 KB) IEEE JNL	
		31. Quantum Interference control of electrical currents in GaAs Hache, A.; Sipe, J.E.; van Driel, H.M.; Quantum Electronics, IEEE Journal of Volume 34, Issue 7, July 1998 Page(s):1144 - 1154	
		AbstractPlus References Full Text: PDF(328 KB) IEEE JNL	
		······	

	 Effects of low-temperature buffer-layer thickness and growth temperature on the SEE sensitivity of Gi Weatherford, T.R.; Marshall, P.W.; Marshall, C.J.; Fouts, D.J.; Mathes, B.; LaMacchia, M.; Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2298 - 2305
	AbstractPlus References Full Text: PDF(884 KB) IEEE JNL
П	33. A two-color TI:sapphire laser for CW-THz generation Siebert, K.; Siebe, F.; Roskos, H.G.; Leonhardt, R.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):497 AbstractPlus Full Text: PDF(92 KB) IEEE CNF
	34. Ultrabroadband photoconductive sampling of THz radiation with 15 fs laser pulses Tani, M.; Kono, S.; Sakai, K.; Lasers and Electro-Optics Society 2000 Annual Meeting. LEOS 2000. 13th Annual Meeting. IEEE Volume 1, 13-16 Nov. 2000 Page(s):183 - 184 vol.1 AbstractPlus Full Text: PDF(148 KB) IEEE CNF
	35. Micromachined photoconductive electric field mapping probe for the measurement of picosecond pul Jongjoo Lee; Heeseok Lee; Joungho Kim; Lasers and Electro-Optics Society 2000 Annual Meeting. LEOS 2000. 13th Annual Meeting. IEEE Volume 1, 13-16 Nov. 2000 Page(s):41 - 42 vol.1 AbstractPlus Full Text: PDF(152 KB) IEEE CNF
	36. On the measurement of high resistance semiconductors by the van der Pauw method Morvic, M.; Advanced Semiconductor Devices and Microsystems, 2000. ASDAM 2000. The Third International EuroConf-16-18 Oct. 2000 Page(s):327 - 330 AbstractPlus Full Text: PDF(212 KB) IEEE CNF
	 Enhanced Intermixing in anion and cation sublattices of low-temperature grown GaAs Chaldyshev, V.V.; Bert, N.A.; Musikhin, Yu.G.; Suvorova, A.A.; Preobrazhenskii, V.V.; Putyato, M.A.; Semyaç Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):121 - 124 AbstractPlus Full Text: PDF(200 KB) IEEE CNF
	38. Ballistic transport in nanostructures used for novel THz emitters Dohler, G.H.; Eckardt, M.; Schwanhauber, A.; Renner, F.; Robledo, L.; Friedrich, A.; Pohl, P.; Malzer, S.; Kies Hanson, M.; Gossard, A.C.; Optoelectronic and Microelectronic Materials and Devices, 2002 Conference on 11-13 Dec. 2002 Page(s):275 - 280 AbstractPlus Full Text: PDF(403 KB) IEEE CNF

Indexed by Inspec

Help Contact Us Privac

© Copyright 2005 IE